

**Amended Acknowledgment and
Amended Notice of Acknowledgment
of Acceptance of R.S. 2477
Right-of-Way Grant**

Ent 235850 Bk 418 Pg 753
Date: 15-FEB-2008 9:41AM
Fee: None
Filed By: CP
BRUCE BROWN, Recorder
BEAVER COUNTY CORPORATION
For: GOVERNOR OF THE STATE OF UTAH

THE STATE OF UTAH

TO ALL WHOM THESE PRESENTS SHALL COME, Greeting:

Know ye, This is an Amended Acknowledgment and Amended Notice of Acknowledgment made under Utah Code Sections 72-5-309 through 310 inclusive, that the grant of the United States of America of “the right of way for the construction of highways over public lands, not reserved for public uses” under United States Revised Statutes 2477 (43 U.S.C. Section 932 (repealed October 21, 1976, with proviso recognizing the validity of rights-of-way already established)) was accepted for and on behalf of the State of Utah and its political subdivision Beaver County as it pertains to the highway located in Beaver County known as TWIN MOUNTAIN ROAD; County Road Number: B-43; State Geographic Information Database (SGID) Road Identification Number: RD010128. Total road length is 6.64 miles more or less.

This Amended Acknowledgment and Amended Notice of Acknowledgment supersedes the information contained in the Acknowledgment recorded at Ent 232900, Bk 409, Beg Pg 73.

The reason for this Amended Acknowledgment and Amended Notice of Acknowledgment includes, but is not limited to, the fact that the road was constructed, mechanically, or by continuous use as a public highway for a period of at least ten years, over public lands not reserved for public uses, prior to the earlier of (a) the October 21, 1976 repeal of R.S. 2477 or (b) the date the servient estate was reserved for public uses.

This Amended Acknowledgment and Amended Notice of Acknowledgment applies only to the segments of the road that traverse land owned by the Bureau of Land Management, United States Department of the Interior, and does not apply to segments of the road that traverse land owned by any other person or entity. The State of Utah and its political subdivisions reserve the right to make further acknowledgments and notices of acknowledgment with regard to road segments that traverse land owned by other entities, including the United States of America, through one or more of its agencies.

A printed copy of a map showing the location of the road in said county is appended hereto as “Attachment 1,” a printed copy of representative photos of the road is appended hereto as “Attachment 2,” a printed copy of a description of the beginning and ending points of the entire road together with a list of Townships, Ranges and Sections that may be traversed by the road in said county is appended hereto as “Attachment 3,” and a printed copy of the Road Centerline Description Cover Page(s) is appended hereto as “Attachment 4.” The Appendices listed in “Attachment 4” that contain the actual road centerline descriptions are incorporated herein by reference.

A printed copy of this Amended Acknowledgment and Amended Notice of Acknowledgment, together with its Attachments and Appendices, may be viewed and/or obtained at the office of the Utah State Archives.

An electronic copy of this Amended Acknowledgment and Amended Notice of Acknowledgment, together with its Attachments and Appendices, may be viewed and/or downloaded as read-only PDF (Portable Document Format) files via the Internet at <http://recorded2477roads.utah.gov>.

The owner of the servient estate in the land underlying the road-segments subject to this Amended Acknowledgment and Amended Notice is believed to be the United States of America through one or more of its agencies. Any of such agencies or any other person with a servient ownership claim or a competing dominant estate right-of-way ownership claim, may file a petition in the State District Court for Salt Lake County for a decision regarding the correctness of this Amended Acknowledgment. A claimant shall file a petition within sixty (60) days after receipt of this Notice.

In Witness Whereof, I, John Harja, the official designee of the Governor of the State of Utah, in conformity to the laws of the State (Utah Code Sections 72-5-308 through 310 inclusive), have caused this Amended Acknowledgment and Amended Notice of Acknowledgment to be made.

Signed by my hand in Salt Lake City, Utah, the 15th day of January, 2008.

By the Governor's Designee




John Harja

CERTIFICATION


State of Utah)
 : ss
County of Salt Lake)

I hereby certify that the signer of the foregoing document, John Harja, is personally known by me, has made a voluntary signature and taken an oath stating that he is the official designee of the Governor of the State of Utah and is authorized to sign this document on the Governor's behalf pursuant to Utah Code Section 72-5-309. He further vouched that, based upon information and belief, the facts alleged therein are true.

Dated this 18 day of Jan, 2008.



Notary Public





TWIN MOUNTAIN ROAD - Beaver County
SGID RD_ID RD010128

Land Ownership Categories

- BLM
- Private
- SITLA, State Trust Land
- USFS, National Forest
- State Parks and Recreation
- Tribal, Indian Reservation
- NPS, National Park
- Wilderness
- UDWR, Wildlife Reserve
- DOD, Military
- State Sovereign Land
- National Recreation Area
- USFWS, Natl. Wildlife Refuge

Transportation Network

- TWIN MOUNTAIN ROAD
- Other Roads
- Title Y: Issued Or Under Consideration By BLM
- Photo Event Point
- Section = 1 Mile

1:40,071
1 inch equals 0.6 miles

Map prepared by the State of Utah
Automated Geographic Reference Center
Room 5130 State Office Building
Salt Lake City, Utah 84114
May 15, 2007

Attachment 2




EP010128001



EP010128004



EP010128007



EP010128009

EP000000000

EP000000000

TWIN MOUNTAIN ROAD - Beaver County
SGID RD_ID RD010128

Map prepared by the State of Utah
Automated Geographic Reference Center
Room 5130 State Office Building
Salt Lake City, Utah 84114
April 17, 2007



Attachment 3

Beginning & Ending Points and Township, Range, and Section References For:

Popular Name: TWIN MOUNTAIN ROAD

County: Beaver

County Road Number: B-43

State Geographic Information Database (SGID) Road Identification Number: RD010128.

Total Road Length: 6.64 miles more or less.

Beginning at a point on the road centerline located at 38 degrees 27 minutes 51.07 seconds North Latitude and -113 degrees 06 minutes 50.38 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah South Zone NAD 83 feet coordinates of X = 1,178,282.0 feet and Y = 10,501,025.6 feet based on the US Survey Foot conversion.

Ending at a point on the road centerline located at 38 degrees 27 minutes 23.09 seconds North Latitude and -113 degrees 00 minutes 34.68 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah South Zone NAD 83 feet coordinates of X = 1,208,115.0 feet and Y = 10,497,696.1 feet based on the US Survey Foot conversion.

This road may traverse:

Township 27 South Range 10 West, Section(s) 17,18, Salt Lake Base & Meridian

Township 27 South Range 11 West, Section(s) 13,16,17,21,22,23,24, Salt Lake Base & Meridian

See Attachment 1 above for a cartographic depiction of the course of this road.

Attachment 4
Road Centerline Description Cover Page(s)

Popular Name: TWIN MOUNTAIN ROAD

County: Beaver

County Road Number: B-43

State Geographic Information Database (SGID) Road Identification Number: RD010128.

Total Road Length: 6.64 miles more or less.

Centerline Descriptions Of Road-Segments That Cross Over Federally Owned Land, Derived From Global Positioning System Data And Cross-checked against USGS Digital Orthophoto Quadrangles Compiled By The Utah Automated Geographic Reference Center And Entered Into The State Geographic Information Database (SGID).

Road-Segments Listed by SGID Road Identification Number (RD_ID)	Road-Segment Numbers	Believed Ownership Of Servient Estate	Approximate Segment Length	See Attached Appendix
RD010128	001	BLM	0.56 Miles	A
RD010128	002	PVT	0.12 Miles	(not shown)
RD010128	003	BLM	0.04 Miles	B
RD010128	004	ST	0.77 Miles	(not shown)
RD010128	005	BLM	0.92 Miles	C
RD010128	006	PVT	0.21 Miles	(not shown)
RD010128	007	BLM	0.4 Miles	D
RD010128	008	PVT	0.04 Miles	(not shown)
RD010128	009	BLM	0.08 Miles	E
RD010128	010	PVT	0.35 Miles	(not shown)
RD010128	011	BLM	0.81 Miles	F
RD010128	012	PVT	1.07 Miles	(not shown)
RD010128	013	BLM	0.81 Miles	G
RD010128	014	PVT	0.22 Miles	(not shown)
RD010128	015	BLM	0.21 Miles	H
RD010128	016	PVT	0.05 Miles	(not shown)
Total Road Length			6.64	

* Indicates that a Title V permit will be requested, is in process, or has been issued.

† Indicates that road-segments crossing Forest Service land are under consideration by the state and county as of the date of this Amended Acknowledgment and Amended Notice of Acknowledgment.

Appendix A to Attachment 4

Popular Name: TWIN MOUNTAIN ROAD

County: Beaver

County Road Number: B-43

State Geographic Information Database (SGID) Road Identification Number: RD010128.

Road-Segment Number: 001

Road-Segment Length: 0.56 miles more or less.

Believed owner of the land underlying this road-segment is: Bureau of Land Management.

The following description is based upon the geographic coordinate system using the NAD83 Datum. The source is GPS mapping grade data as indicated in the metadata and/or the transportation data model of the State of Utah Geographic Information Database (SGID).

The road-segment itself is the monument that is identified by its physical presence on the land. The location of said physical presence is closely approximated by mapping grade Global Positioning System (GPS) data. Said data are checked against the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS) to verify a reasonable degree of accuracy. In circumstances where accurate satellite signal acquisition is not possible, such as deep, narrow canyons or under a canopy of dense foliage, or where very sharp curves in the road make accuracy questionable, such portions of the road were digitized from the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS).

This road-segment may traverse:

Township 27 South Range 11 West, Section(s) 17, Salt Lake Base & Meridian

The following description closely approximates the location of the centerline of the physical monument (TWIN MOUNTAIN ROAD)-- Segment 001 based on mapping grade Global Positioning System (GPS) data as defined above:

Beginning at a point on the road center line located at 38 degrees 27 minutes 51.07 seconds North Latitude and -113 degrees 06 minutes 50.38 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah South Zone NAD 83 feet coordinates of X = 1,178,282.0 feet and Y = 10,501,025.6 feet; thence the following courses along the said road center line:

thence South 65 Degrees 33 Minutes 04 Seconds East 28.2 feet
thence South 65 Degrees 06 Minutes 49 Seconds East 87 feet
thence South 65 Degrees 18 Minutes 03 Seconds East 131.1 feet
thence South 66 Degrees 09 Minutes 14 Seconds East 154.6 feet
thence South 66 Degrees 45 Minutes 36 Seconds East 187.9 feet
thence South 66 Degrees 28 Minutes 10 Seconds East 198.7 feet
thence South 65 Degrees 02 Minutes 37 Seconds East 196.7 feet
thence South 63 Degrees 42 Minutes 54 Seconds East 182.4 feet
thence South 60 Degrees 01 Minutes 30 Seconds East 150.9 feet
thence South 53 Degrees 06 Minutes 53 Seconds East 154.1 feet
thence South 52 Degrees 36 Minutes 11 Seconds East 163 feet

thence South 54 Degrees 27 Minutes 44 Seconds East 160.7 feet
thence South 56 Degrees 09 Minutes 59 Seconds East 111 feet
thence South 58 Degrees 34 Minutes 00 Seconds East 56.7 feet
thence South 58 Degrees 37 Minutes 29 Seconds East 13.1 feet
thence South 58 Degrees 03 Minutes 02 Seconds East 14.7 feet
thence South 58 Degrees 24 Minutes 00 Seconds East 50.3 feet
thence South 57 Degrees 44 Minutes 51 Seconds East 93.8 feet
thence South 51 Degrees 17 Minutes 26 Seconds East 62.5 feet
thence South 35 Degrees 33 Minutes 34 Seconds East 57.4 feet
thence South 38 Degrees 09 Minutes 32 Seconds East 39 feet
thence South 79 Degrees 46 Minutes 48 Seconds East 62.7 feet
thence South 86 Degrees 20 Minutes 48 Seconds East 113.5 feet
thence South 83 Degrees 29 Minutes 38 Seconds East 143.4 feet
thence South 83 Degrees 27 Minutes 45 Seconds East 142.8 feet
thence South 84 Degrees 05 Minutes 40 Seconds East 114.9 feet
thence South 85 Degrees 35 Minutes 53 Seconds East 43.8 feet
thence South 85 Degrees 33 Minutes 45 Seconds East 19.8 feet more or less to **the ending**

point at: 38 degrees 27 minutes 39.56 seconds North Latitude and -113 degrees 06 minutes 17.36 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah South Zone NAD 83 feet coordinates of X = 1,180,887.7 feet and Y = 10,499,816.0 feet.

Appendix B to Attachment 4

Popular Name: TWIN MOUNTAIN ROAD

County: Beaver

County Road Number: B-43

State Geographic Information Database (SGID) Road Identification Number: RD010128.

Road-Segment Number: 003

Road-Segment Length: 0.04 miles more or less.

Believed owner of the land underlying this road-segment is: Bureau of Land Management.

The following description is based upon the geographic coordinate system using the NAD83 Datum. The source is GPS mapping grade data as indicated in the metadata and/or the transportation data model of the State of Utah Geographic Information Database (SGID).

The road-segment itself is the monument that is identified by its physical presence on the land. The location of said physical presence is closely approximated by mapping grade Global Positioning System (GPS) data. Said data are checked against the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS) to verify a reasonable degree of accuracy. In circumstances where accurate satellite signal acquisition is not possible, such as deep, narrow canyons or under a canopy of dense foliage, or where very sharp curves in the road make accuracy questionable, such portions of the road were digitized from the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS).

This road-segment may traverse:

Township 27 South Range 11 West, Section(s) 17, Salt Lake Base & Meridian

The following description closely approximates the location of the centerline of the physical monument (TWIN MOUNTAIN ROAD)-- Segment 003 based on mapping grade Global Positioning System (GPS) data as defined above:

Beginning at a point on the road center line located at 38 degrees 27 minutes 38.15 seconds North Latitude and -113 degrees 06 minutes 09.98 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah South Zone NAD 83 feet coordinates of X = 1,181,472.3 feet and Y = 10,499,663.9 feet; thence the following courses along the said road center line:

thence South 67 Degrees 10 Minutes 56 Seconds East 93.8 feet

thence South 69 Degrees 40 Minutes 25 Seconds East 91.2 feet

thence South 67 Degrees 20 Minutes 16 Seconds East 21.2 feet more or less to **the ending**

point at: 38 degrees 27 minutes 37.43 seconds North Latitude and -113 degrees 06 minutes 07.56 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah South Zone NAD 83 feet coordinates of X = 1,181,663.8 feet and Y = 10,499,587.7 feet.

Appendix C to Attachment 4

Popular Name: TWIN MOUNTAIN ROAD

County: Beaver

County Road Number: B-43

State Geographic Information Database (SGID) Road Identification Number: RD010128.

Road-Segment Number: 005

Road-Segment Length: 0.92 miles more or less.

Believed owner of the land underlying this road-segment is: Bureau of Land Management.

The following description is based upon the geographic coordinate system using the NAD83 Datum. The source is GPS mapping grade data as indicated in the metadata and/or the transportation data model of the State of Utah Geographic Information Database (SGID).

The road-segment itself is the monument that is identified by its physical presence on the land. The location of said physical presence is closely approximated by mapping grade Global Positioning System (GPS) data. Said data are checked against the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS) to verify a reasonable degree of accuracy. In circumstances where accurate satellite signal acquisition is not possible, such as deep, narrow canyons or under a canopy of dense foliage, or where very sharp curves in the road make accuracy questionable, such portions of the road were digitized from the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS).

This road-segment may traverse:

Township 27 South Range 11 West, Section(s) 21,22, Salt Lake Base & Meridian

The following description closely approximates the location of the centerline of the physical monument (TWIN MOUNTAIN ROAD)-- Segment 005 based on mapping grade Global Positioning System (GPS) data as defined above:

Beginning at a point on the road center line located at 38 degrees 27 minutes 22.45 seconds North Latitude and -113 degrees 05 minutes 19.98 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah South Zone NAD 83 feet coordinates of X = 1,185,422.3 feet and Y = 10,498,007.3 feet; thence the following courses along the said road center line:

thence South 67 Degrees 22 Minutes 31 Seconds East	193.2 feet
thence South 67 Degrees 07 Minutes 01 Seconds East	238.1 feet
thence South 67 Degrees 11 Minutes 27 Seconds East	233 feet
thence South 67 Degrees 28 Minutes 48 Seconds East	223.9 feet
thence South 67 Degrees 14 Minutes 37 Seconds East	190.8 feet
thence South 67 Degrees 38 Minutes 43 Seconds East	166.8 feet
thence South 67 Degrees 25 Minutes 25 Seconds East	133.2 feet
thence South 66 Degrees 55 Minutes 35 Seconds East	98.3 feet
thence South 67 Degrees 39 Minutes 29 Seconds East	60.4 feet
thence South 67 Degrees 31 Minutes 45 Seconds East	49.1 feet
thence South 66 Degrees 49 Minutes 04 Seconds East	79.8 feet

thence South 63 Degrees 36 Minutes 40 Seconds East 56.2 feet
 thence South 70 Degrees 32 Minutes 59 Seconds East 31 feet
 thence South 70 Degrees 11 Minutes 22 Seconds East 10.5 feet
 thence South 70 Degrees 20 Minutes 33 Seconds East 15.4 feet
 thence South 65 Degrees 58 Minutes 35 Seconds East 49.3 feet
 thence South 60 Degrees 36 Minutes 43 Seconds East 74.8 feet
 thence South 67 Degrees 27 Minutes 40 Seconds East 88.7 feet
 thence South 84 Degrees 23 Minutes 30 Seconds East 92 feet
 thence North 87 Degrees 46 Minutes 50 Seconds East 79.4 feet
 thence North 88 Degrees 14 Minutes 31 Seconds East 65.6 feet
 thence South 84 Degrees 26 Minutes 36 Seconds East 54.4 feet
 thence South 66 Degrees 43 Minutes 32 Seconds East 36.9 feet
 thence South 51 Degrees 23 Minutes 53 Seconds East 11 feet
 thence South 36 Degrees 34 Minutes 46 Seconds East 18.3 feet
 thence South 08 Degrees 58 Minutes 21 Seconds East 72 feet
 thence South 12 Degrees 52 Minutes 37 Seconds West 114.9 feet
 thence South 17 Degrees 39 Minutes 48 Seconds West 120 feet
 thence South 22 Degrees 34 Minutes 26 Seconds West 123.9 feet
 thence South 23 Degrees 45 Minutes 41 Seconds West 122.2 feet
 thence South 19 Degrees 27 Minutes 38 Seconds West 114.4 feet
 thence South 12 Degrees 09 Minutes 02 Seconds West 116.9 feet
 thence South 02 Degrees 20 Minutes 31 Seconds West 91.6 feet
 thence South 09 Degrees 45 Minutes 41 Seconds East 116.1 feet
 thence South 21 Degrees 47 Minutes 36 Seconds East 125.5 feet
 thence South 30 Degrees 33 Minutes 45 Seconds East 137.5 feet
 thence South 33 Degrees 02 Minutes 41 Seconds East 139.6 feet
 thence South 36 Degrees 13 Minutes 16 Seconds East 146.6 feet
 thence South 41 Degrees 24 Minutes 26 Seconds East 152.8 feet
 thence South 38 Degrees 24 Minutes 43 Seconds East 163.8 feet
 thence South 36 Degrees 31 Minutes 24 Seconds East 162.2 feet
 thence South 37 Degrees 46 Minutes 34 Seconds East 155.4 feet
 thence South 40 Degrees 12 Minutes 13 Seconds East 132.5 feet
 thence South 40 Degrees 27 Minutes 12 Seconds East 112 feet
 thence South 40 Degrees 43 Minutes 22 Seconds East 61.7 feet more or less to **the ending point at:** 38 degrees 26 minutes 53.53 seconds North Latitude and -113 degrees 04 minutes 43.45 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah South Zone NAD 83 foot coordinates of X = 1,188,277.9 feet and Y = 10,495,032.7 feet.

Appendix D to Attachment 4

Popular Name: TWIN MOUNTAIN ROAD

County: Beaver

County Road Number: B-43

State Geographic Information Database (SGID) Road Identification Number: RD010128.

Road-Segment Number: 007

Road-Segment Length: 0.4 miles more or less.

Believed owner of the land underlying this road-segment is: Bureau of Land Management.

The following description is based upon the geographic coordinate system using the NAD83 Datum. The source is GPS mapping grade data as indicated in the metadata and/or the transportation data model of the State of Utah Geographic Information Database (SGID).

The road-segment itself is the monument that is identified by its physical presence on the land. The location of said physical presence is closely approximated by mapping grade Global Positioning System (GPS) data. Said data are checked against the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS) to verify a reasonable degree of accuracy. In circumstances where accurate satellite signal acquisition is not possible, such as deep, narrow canyons or under a canopy of dense foliage, or where very sharp curves in the road make accuracy questionable, such portions of the road were digitized from the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS).

This road-segment may traverse:

Township 27 South Range 11 West, Section(s) 22, Salt Lake Base & Meridian

The following description closely approximates the location of the centerline of the physical monument (TWIN MOUNTAIN ROAD)-- Segment 007 based on mapping grade Global Positioning System (GPS) data as defined above:

Beginning at a point on the road center line located at 38 degrees 26 minutes 48.42 seconds North Latitude and -113 degrees 04 minutes 31.97 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah South Zone NAD 83 feet coordinates of X = 1,189,182.6 feet and Y = 10,494,501.3 feet; thence the following courses along the said road center line:

thence South 75 Degrees 02 Minutes 17 Seconds East	24.1 feet
thence South 83 Degrees 33 Minutes 54 Seconds East	108.7 feet
thence South 85 Degrees 58 Minutes 06 Seconds East	69.1 feet
thence South 83 Degrees 41 Minutes 51 Seconds East	93.8 feet
thence South 81 Degrees 27 Minutes 12 Seconds East	136.1 feet
thence South 81 Degrees 23 Minutes 56 Seconds East	126.9 feet
thence South 80 Degrees 21 Minutes 25 Seconds East	109.9 feet
thence South 82 Degrees 45 Minutes 12 Seconds East	109.6 feet
thence South 85 Degrees 15 Minutes 50 Seconds East	115.3 feet
thence South 88 Degrees 42 Minutes 59 Seconds East	116.8 feet
thence North 88 Degrees 17 Minutes 08 Seconds East	108.3 feet

thence North 83 Degrees 52 Minutes 35 Seconds East 107.2 feet
thence North 81 Degrees 38 Minutes 01 Seconds East 89.1 feet
thence North 80 Degrees 23 Minutes 46 Seconds East 67.2 feet
thence North 79 Degrees 08 Minutes 57 Seconds East 61.1 feet
thence North 79 Degrees 29 Minutes 56 Seconds East 52 feet
thence North 80 Degrees 36 Minutes 59 Seconds East 22.9 feet
thence North 78 Degrees 47 Minutes 20 Seconds East 34.7 feet
thence North 74 Degrees 48 Minutes 41 Seconds East 88.3 feet
thence North 63 Degrees 58 Minutes 15 Seconds East 97.6 feet
thence North 62 Degrees 37 Minutes 00 Seconds East 102.4 feet
thence North 65 Degrees 05 Minutes 34 Seconds East 101.7 feet
thence North 63 Degrees 06 Minutes 33 Seconds East 43.3 feet
thence North 68 Degrees 35 Minutes 08 Seconds East 105 feet more or less to **the ending**

point at: 38 degrees 26 minutes 50.41 seconds North Latitude and -113 degrees 04 minutes 06.47 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah South Zone NAD 83 feet coordinates of X = 1,191,214.4 feet and Y = 10,494,668.3 feet.

Appendix E to Attachment 4

Popular Name: TWIN MOUNTAIN ROAD

County: Beaver

County Road Number: B-43

State Geographic Information Database (SGID) Road Identification Number: RD010128.

Road-Segment Number: 009

Road-Segment Length: 0.08 miles more or less.

Believed owner of the land underlying this road-segment is: Bureau of Land Management.

The following description is based upon the geographic coordinate system using the NAD83 Datum. The source is GPS mapping grade data as indicated in the metadata and/or the transportation data model of the State of Utah Geographic Information Database (SGID).

The road-segment itself is the monument that is identified by its physical presence on the land. The location of said physical presence is closely approximated by mapping grade Global Positioning System (GPS) data. Said data are checked against the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS) to verify a reasonable degree of accuracy. In circumstances where accurate satellite signal acquisition is not possible, such as deep, narrow canyons or under a canopy of dense foliage, or where very sharp curves in the road make accuracy questionable, such portions of the road were digitized from the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS).

This road-segment may traverse:

Township 27 South Range 11 West, Section(s) 22, Salt Lake Base & Meridian

The following description closely approximates the location of the centerline of the physical monument (TWIN MOUNTAIN ROAD)-- Segment 009 based on mapping grade Global Positioning System (GPS) data as defined above:

Beginning at a point on the road center line located at 38 degrees 26 minutes 51.21 seconds North Latitude and -113 degrees 04 minutes 04.23 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah South Zone NAD 83 feet coordinates of X = 1,191,393.7 feet and Y = 10,494,745.9 feet; thence the following courses along the said road center line:

thence North 63 Degrees 02 Minutes 06 Seconds East 44.9 feet

thence North 54 Degrees 59 Minutes 24 Seconds East 110.1 feet

thence North 59 Degrees 40 Minutes 50 Seconds East 103 feet

thence North 69 Degrees 49 Minutes 27 Seconds East 96.6 feet

thence North 74 Degrees 21 Minutes 58 Seconds East 77 feet more or less to **the ending point**

at: 38 degrees 26 minutes 53.15 seconds North Latitude and -113 degrees 03 minutes 59.45 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah South Zone NAD 83 feet coordinates of X = 1,191,777.7 feet and Y = 10,494,935.5 feet.

Appendix F to Attachment 4

Popular Name: TWIN MOUNTAIN ROAD

County: Beaver

County Road Number: B-43

State Geographic Information Database (SGID) Road Identification Number: RD010128.

Road-Segment Number: 011

Road-Segment Length: 0.81 miles more or less.

Believed owner of the land underlying this road-segment is: Bureau of Land Management.

The following description is based upon the geographic coordinate system using the NAD83 Datum. The source is GPS mapping grade data as indicated in the metadata and/or the transportation data model of the State of Utah Geographic Information Database (SGID).

The road-segment itself is the monument that is identified by its physical presence on the land. The location of said physical presence is closely approximated by mapping grade Global Positioning System (GPS) data. Said data are checked against the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS) to verify a reasonable degree of accuracy. In circumstances where accurate satellite signal acquisition is not possible, such as deep, narrow canyons or under a canopy of dense foliage, or where very sharp curves in the road make accuracy questionable, such portions of the road were digitized from the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS).

This road-segment may traverse:

Township 27 South Range 11 West, Section(s) 23, Salt Lake Base & Meridian

The following description closely approximates the location of the centerline of the physical monument (TWIN MOUNTAIN ROAD)-- Segment 011 based on mapping grade Global Positioning System (GPS) data as defined above:

Beginning at a point on the road center line located at 38 degrees 26 minutes 58.94 seconds North Latitude and -113 degrees 03 minutes 38.18 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah South Zone NAD 83 feet coordinates of X = 1,193,479.5 feet and Y = 10,495,493.2 feet; thence the following courses along the said road center line:

thence North 59 Degrees 03 Minutes 38 Seconds East	29.4 feet
thence North 59 Degrees 09 Minutes 03 Seconds East	65.9 feet
thence North 61 Degrees 31 Minutes 14 Seconds East	95.3 feet
thence North 66 Degrees 09 Minutes 32 Seconds East	132.4 feet
thence North 69 Degrees 36 Minutes 54 Seconds East	168.4 feet
thence North 69 Degrees 52 Minutes 58 Seconds East	192.8 feet
thence North 69 Degrees 57 Minutes 20 Seconds East	194.5 feet
thence North 70 Degrees 29 Minutes 14 Seconds East	189.7 feet
thence North 70 Degrees 30 Minutes 13 Seconds East	185.8 feet
thence North 70 Degrees 07 Minutes 54 Seconds East	193.2 feet
thence North 70 Degrees 34 Minutes 26 Seconds East	196.5 feet

thence North 70 Degrees 21 Minutes 25 Seconds East 195.4 feet
 thence North 69 Degrees 54 Minutes 31 Seconds East 192.1 feet
 thence North 70 Degrees 29 Minutes 43 Seconds East 183.8 feet
 thence North 70 Degrees 10 Minutes 19 Seconds East 167.1 feet
 thence North 70 Degrees 06 Minutes 48 Seconds East 163.6 feet
 thence North 70 Degrees 13 Minutes 16 Seconds East 157.6 feet
 thence North 70 Degrees 08 Minutes 45 Seconds East 141.3 feet
 thence North 70 Degrees 32 Minutes 57 Seconds East 129.2 feet
 thence North 70 Degrees 49 Minutes 47 Seconds East 101.6 feet
 thence North 69 Degrees 29 Minutes 19 Seconds East 71.3 feet
 thence North 69 Degrees 45 Minutes 29 Seconds East 72.2 feet
 thence North 69 Degrees 37 Minutes 45 Seconds East 77.5 feet
 thence North 69 Degrees 58 Minutes 45 Seconds East 61.3 feet
 thence North 68 Degrees 34 Minutes 10 Seconds East 20 feet
 thence North 72 Degrees 12 Minutes 38 Seconds East 30.6 feet
 thence North 70 Degrees 56 Minutes 11 Seconds East 98 feet
 thence North 70 Degrees 16 Minutes 22 Seconds East 135.3 feet
 thence North 70 Degrees 08 Minutes 00 Seconds East 134.4 feet
 thence North 70 Degrees 16 Minutes 01 Seconds East 128.4 feet
 thence North 70 Degrees 45 Minutes 29 Seconds East 123.5 feet
 thence North 70 Degrees 37 Minutes 28 Seconds East 125.7 feet
 thence North 70 Degrees 45 Minutes 36 Seconds East 49.6 feet
 thence North 67 Degrees 34 Minutes 35 Seconds East 47.1 feet
 thence North 71 Degrees 04 Minutes 44 Seconds East 33.9 feet more or less to **the ending**

point at: 38 degrees 27 minutes 14.31 seconds North Latitude and -113 degrees 02 minutes 48.03 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah South Zone NAD 83 feet coordinates of X = 1,197,493.9 feet and Y = 10,496,981.2 feet.

Appendix G to Attachment 4

Popular Name: TWIN MOUNTAIN ROAD

County: Beaver

County Road Number: B-43

State Geographic Information Database (SGID) Road Identification Number: RD010128.

Road-Segment Number: 013

Road-Segment Length: 0.81 miles more or less.

Believed owner of the land underlying this road-segment is: Bureau of Land Management.

The following description is based upon the geographic coordinate system using the NAD83 Datum. The source is GPS mapping grade data as indicated in the metadata and/or the transportation data model of the State of Utah Geographic Information Database (SGID).

The road-segment itself is the monument that is identified by its physical presence on the land. The location of said physical presence is closely approximated by mapping grade Global Positioning System (GPS) data. Said data are checked against the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS) to verify a reasonable degree of accuracy. In circumstances where accurate satellite signal acquisition is not possible, such as deep, narrow canyons or under a canopy of dense foliage, or where very sharp curves in the road make accuracy questionable, such portions of the road were digitized from the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS).

This road-segment may traverse:

Township 27 South Range 10 West, Section(s) 18, Salt Lake Base & Meridian

The following description closely approximates the location of the centerline of the physical monument (TWIN MOUNTAIN ROAD)-- Segment 013 based on mapping grade Global Positioning System (GPS) data as defined above:

Beginning at a point on the road center line located at 38 degrees 27 minutes 34.46 seconds North Latitude and -113 degrees 01 minutes 41.74 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah South Zone NAD 83 feet coordinates of X = 1,202,800.3 feet and Y = 10,498,933.6 feet; thence the following courses along the said road center line:

thence North 69 Degrees 35 Minutes 54 Seconds East	160.7 feet
thence North 69 Degrees 25 Minutes 15 Seconds East	291 feet
thence North 69 Degrees 30 Minutes 13 Seconds East	291.2 feet
thence North 69 Degrees 29 Minutes 06 Seconds East	288 feet
thence North 69 Degrees 23 Minutes 26 Seconds East	283 feet
thence North 69 Degrees 44 Minutes 33 Seconds East	282 feet
thence North 69 Degrees 23 Minutes 01 Seconds East	281.9 feet
thence North 69 Degrees 25 Minutes 19 Seconds East	268.2 feet
thence North 69 Degrees 15 Minutes 07 Seconds East	559.5 feet
thence North 66 Degrees 28 Minutes 33 Seconds East	32.5 feet
thence North 69 Degrees 23 Minutes 14 Seconds East	163.7 feet

thence North 69 Degrees 22 Minutes 12 Seconds East 174.9 feet
thence North 69 Degrees 23 Minutes 22 Seconds East 154.3 feet
thence North 68 Degrees 52 Minutes 19 Seconds East 80.4 feet
thence North 78 Degrees 15 Minutes 31 Seconds East 104.4 feet
thence South 81 Degrees 30 Minutes 40 Seconds East 104.9 feet
thence South 72 Degrees 00 Minutes 46 Seconds East 97.1 feet
thence South 66 Degrees 39 Minutes 36 Seconds East 89.9 feet
thence South 64 Degrees 29 Minutes 56 Seconds East 102.4 feet
thence South 65 Degrees 12 Minutes 01 Seconds East 157.6 feet
thence South 65 Degrees 20 Minutes 44 Seconds East 122 feet
thence South 63 Degrees 36 Minutes 06 Seconds East 159.1 feet
thence South 52 Degrees 19 Minutes 23 Seconds East 5.3 feet more or less to **the ending point**

at: 38 degrees 27 minutes 43.71 seconds North Latitude and -113 degrees 00 minutes 51.97 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah South Zone NAD 83 feet coordinates of X = 1,206,773.5 feet and Y = 10,499,804.4 feet.

Appendix H to Attachment 4

Popular Name: TWIN MOUNTAIN ROAD

County: Beaver

County Road Number: B-43

State Geographic Information Database (SGID) Road Identification Number: RD010128.

Road-Segment Number: 015

Road-Segment Length: 0.21 miles more or less.

Believed owner of the land underlying this road-segment is: Bureau of Land Management.

The following description is based upon the geographic coordinate system using the NAD83 Datum. The source is GPS mapping grade data as indicated in the metadata and/or the transportation data model of the State of Utah Geographic Information Database (SGID).

The road-segment itself is the monument that is identified by its physical presence on the land. The location of said physical presence is closely approximated by mapping grade Global Positioning System (GPS) data. Said data are checked against the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS) to verify a reasonable degree of accuracy. In circumstances where accurate satellite signal acquisition is not possible, such as deep, narrow canyons or under a canopy of dense foliage, or where very sharp curves in the road make accuracy questionable, such portions of the road were digitized from the corresponding gray-scale 1-meter Digital Orthophoto Quadrangles published by the United States Geological Survey (USGS).

This road-segment may traverse:

Township 27 South Range 10 West, Section(s) 18, Salt Lake Base & Meridian

The following description closely approximates the location of the centerline of the physical monument (TWIN MOUNTAIN ROAD)-- Segment 015 based on mapping grade Global Positioning System (GPS) data as defined above:

Beginning at a point on the road center line located at 38 degrees 27 minutes 34.72 seconds North Latitude and -113 degrees 00 minutes 42.73 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah South Zone NAD 83 feet coordinates of X = 1,207,493.8 feet and Y = 10,498,883.5 feet; thence the following courses along the said road center line:

thence South 35 Degrees 38 Minutes 22 Seconds East 180.9 feet

thence South 35 Degrees 13 Minutes 15 Seconds East 207.6 feet

thence South 34 Degrees 29 Minutes 15 Seconds East 209.8 feet

thence South 29 Degrees 30 Minutes 29 Seconds East 199.2 feet

thence South 25 Degrees 07 Minutes 17 Seconds East 185.4 feet

thence South 19 Degrees 58 Minutes 44 Seconds East 121.9 feet more or less to **the ending**

point at: 38 degrees 27 minutes 25.47 seconds North Latitude and -113 degrees 00 minutes 35.47 seconds West Longitude, which can be converted to mapping accuracy State Plane Utah South Zone NAD 83 feet coordinates of X = 1,208,056.2 feet and Y = 10,497,938.2 feet.